

### STATE OF MAINE DEPARTMENT OF AGRICULTURE, CONSERVATION & FORESTRY BOARD OF PESTICIDES CONTROL 28 STATE HOUSE STATION AUGUSTA, MAINE 04333

AMANDA E. BEAL COMMISSIONER

JANET T. MILLS GOVERNOR

### <u>Memorandum</u>

To: Maine Board of Pesticides Control

From: Julia Vacchiano, Pesticides Registrar and Water Quality Specialist

Re: Request to Reestablish EPA FIFRA, Section 24(c), registration for the use of Asulox Herbicide (EPA Regulation # 70506-139) to control bracken fern in wild blueberries

March 6, 2025

The Special Local Need (SLN) registration for Asulox Herbicide (EPA Reg. No. 70506-139) was first approved in 2010 and the Board approved a five-year extension in January 2020 which expired December 31, 2024. Dr. Lily Calderwood, blueberry specialist at the University of Maine Cooperative Extension, requests the reestablishment of this expired SLN. In the absence of other effective control measures for bracken fern, this product has proven to be effective, especially in newly cleared land and abandoned fields returned to production. The proposed SLN will expire on December 31, 2030.

There are no changes to the SLN label and the application conditions, as listed below, remain the same.

- Applications will be no more than once every other year.
- Applications will be made during non-bearing years.
- Applications will be via spot treatment.

The presence of Asulam, the active ingredient in Asulox, in groundwater has not been evaluated in Maine.

Please review the following included documents:

- Letter of request from Lily Calderwood, Ph.D., University of Maine Cooperative Extension Blueberry Specialist
- 2020 Asulox Special Local Need Toxicological Review, Pamela Bryer, Ph.D.
- Letters of support from Cherryfield Foods Inc. and Wyman's
- UPL NA Inc. Asulox Herbicide Section 24(c) label for requested approval
- UPL NA Inc. Asulox Herbicide Section 3 label
- UPL NA Inc. Asulox Herbicide Safety Data Sheet

### ALEXANDER PEACOCK, DIRECTOR

90 BLOSSOM LANE, DEERING BUILDING



PHONE: (207) 287-2731 WWW.THINKFIRSTSPRAYLAST.ORG



February 19, 2025

To Whom it May Concern,

On behalf of the University of Maine Cooperative Extension and lowbush (wild) blueberry producers in Maine, I request an extension of the 24C label for Asulox herbicide for use on bracken fern. Our current 24C label recently expired on December 31, 2024. There has been an Asulox 24C label approved for use on this crop since 2010.

Bracken fern, *Pteridinium* species, are a serious weed in lowbush blueberry fields. The successional habitat in which lowbush blueberry is grown exhibit the same conditions that bracken fern lives. Through my Extension program, growers are encouraged to identify weeds in their fields and use cultural methods of weed management including sulfur application to bring the pH down and mechanical weed removal before using an herbicide method of control. Unfortunately, bracken fern grows well in the acidic soils, which must be maintained for grass weed suppression and wild blueberry growth.

There are 46,370 acres of commercial lowbush blueberry production in Maine. There are 512 total growers, 457 of which are conventional. In weed surveys we have found bracken fern to be one of the top two weeds that cover the most area in organic lowbush blueberry fields with very little bracken fern coverage in conventional fields. This is an indication that braken fern is prevalent on farms that have not applied Asulox. Conventional producers use this product on fields that are being brought into production as a spot application. This product is one of the only products available for conventional growers to use against bracken fern, which shades lowbush blueberry with its wide fronds.

Please support extending the Asulox 24C label for lowbush blueberry in Maine. Please let me know if the Board of Pesticide Control has any questions.

Sincerely,

Lutin B. Calel 100 d.

Dr. Lily Calderwood University of Maine, Orono, ME 04469 Extension Wild Blueberry Specialist, Associate Professor of Horticulture



### STATE OF MAINE DEPARTMENT OF AGRICULTURE, CONSERVATION & FORESTRY BOARD OF PESTICIDES CONTROL 28 STATE HOUSE STATION AUGUSTA, MAINE 04333

AMANDA E. BEAL COMMISSIONER

### JANET T. MILLS GOVERNOR

### <u>Memorandum</u>

To: Board of Pesticides Control From: Pam Bryer, Toxicologist Subject: Asulox Special Local Need 2020 Review

February 19, 2020

Asulam has been used in Maine for several years under a Special Local Needs (SLN) registration for the control of bracken fern in lowbush blueberry fields. Previous reviews from the BPC toxicologist in 2010 and 2015 highlight the relatively low acute toxicity to many organisms, the short residence time in sunlit water and soil, and many pieces of missing data. In 2018, EPA issued a Proposed Interim Decision supported with several supporting documents and much of the data that was missing during the BPC's last SLN registration review is now available.

The primary concerns of this review focuses on: applicator safety, residues remaining on blueberries entering the marketplace, and ecological effects. This review is focused on the proposed use on lowbush blueberry in Maine. Spot use on blueberry fields during the non-bearing year is not consistent with how EPA modeled its potential effects during registration review. For example, the label allows asulam to be applied by aircraft over sugarcane twice a year (doubling the annual lbs/A over this proposed use). As a result, it is difficult to say how the effects demonstrated by EPA's predictive modeling compare to use in Maine. The modeling used throughout EPA's recent interim decision are at the very least conservative, however, they may be so conservative as to be unhelpfully vague for this specific use.

More data on the use patterns in Maine would help better understand how comparable Maine use patterns are to the patterns used by EPA in their interim decision modeling which were largely based on sugarcane. The label submitted with this SNL application allows for 3.34 lbs a.i./A as a spot treatment only once every other year. EPA reports that sugarcane growers used 270,000 lbs of asulam from 2011-2015. If we assume that 90% (10% are under organic production) of the 36,000 acres in Maine production use asulam consistent with the SLN label, Maine growers could use as much as 53,500 lbs each year (every-other-year application). EPA modeling uses the maximum allowable rate, however, their data show that sugarcane growers do not use the 3.6 lbs a.i./A rate two times a year as allowed. Typically, sugarcane growers use 1.5 to 2.5 lbs a.i./A

**MEGAN PATTERNSON, DIRECTOR** 90 BLOSSOM LANE, DEERING BUILDING



PHONE: (207) 287-2731 WWW.THINKFIRSTSPRAYLAST.ORG only once a year. Additional use data from Maine growers could help fully understand potential effects.

### Applicator Safety Concerns:

The application scenario for Maine applicators, ground-level spot applying, is unlikely to pose undue risk to applicators when used as labeled. Asulam has low hazard to mammals and the exposure pathways do not favor uptake during application. Dermal exposures are not considered to be important in mammals based on animal testing. Mammals show high tolerance to asulam exposures, in many of the toxicity tests the maximum exposure dose was reached before any effects were found. There were no thyroid or developmental changes following long-term exposures in rats.

In contrast, based on tumors found in rat studies, EPA has classified asulam within the Group C, possible human carcinogen category. Asulam can produce eye and skin irritation. The harm from asulam is considered mitigated by following the label instruction for proper PPE and REI.

### Tolerance Concerns:

There is no tolerance established for asulam on blueberry. There is a tolerance for sugarcane, molasses from sugarcane, and several livestock products (fat, milk, etc.) likely to be fed molasses. There are SLNs in other states for seed spinach and seed alfalfa growing. There are no other established asulam tolerances in the Codex Alimentarius or for other countries.

Data is lacking on the length of time asulam persists in soil. This lack of fate data is a gap identified in EPA's 2018 interim decision. How asulam behaves in various environmental media is unknown. The Asulox label reads that results will not be visible during the year of application, "Control will be observed the year following application of the Asulox." The mechanism of action is to interfere with growth so it is understandable that asulam would not produce a remarkable response following application. But, how is control in the harvest year accomplished? Bracken fern are perennial and can have robust rhizomes. Asulam has high leaching potential and therefore it is expected to also easily translocate evenly throughout the plant tissues. Just as there is asulam for weed control in the bearing year, it is possible that asulam may occur in the blueberry fruit due to stored asulam in the blueberry roots. I have not received data that speaks to the potential for this fate pathway in blueberries. We would expect large quantities asulam to affect the blueberry crop since it is an herbicide. This product is used on 30% of all US grown sugarcane without tolerance violations. Clearly, in sugarcane there is a mechanism for asulam degradation, perhaps this same process could also be at work for blueberries. Additional clarification around the issue of fate in the environment would help us better assess potential residue levels in blueberry.

### Ecological Concerns:

### Leaching

The main concern with asulam comes from its potential for easily leaching. In sunlight asulam is rapidly broken down. If the product moves into the ground before being photodegraded EPA considers it a risk to ground and surface water. Data reported by EPA, found 8 detections out of

the 11,269 database returns for asulam; 2 groundwater and 6 surface water. The groundwater values were 0.0047 ug/L and 0.0285 ug/L. The surface water values were 0.0495 ug/L to 0.669 ug/L. In 2002, Maine CDC established a water quality guideline of 35 ug/L for asulam.

Asulam is considered to be practically non-toxic to freshwater fish and invertebrates. There is no data on marine/estuarine organisms.

In sum, although asulam readily leaches, the short half-life and low toxicity profile prevent undue harm to freshwater aquatic organisms.

### **Birds & Mammals**

Asulam has little acute toxicity to birds and mammals, however, it does affect reproduction in both birds and mammals as a result of chronic exposures. In multiple species of birds, asulam exposure produced eggshell thinning. In mammals, there was a reduction in the number of viable offspring. Based on the modeled exposure patterns (e.g. the sugarcane scenario) EPA predicts chronic effects to be seen in birds and mammals.

In order to mitigate the potential adverse effects on birds and mammals, EPA changed the label language to reduce drift. The changes introduced in 2018 were: ground applications must be made no more than 4 feet from the ground or canopy and the droplets must be in the medium-coarser ASABE Standard 572.1 size range. EPA considered those changes to be sufficient to allow continued use at the current application rate.

### Bees

During acute exposures asulam is practically non-toxic to bees on contact, however, there is a large data gap in the honey bee data. There is only one test, the adult acute contact test, that has been performed. There is not enough data to fully determine effects on bees.

In sum, EPA indicates in their 2018 interim decision that between the label changes and the knowledge that few or no producers are likely to be using asulam at the maximum allowable rate there should be no undue harm to the environment.

### SLN request summary

It seems impossible that growers in Maine would ever reach the predicted harm from the high exposures modelled under the sugarcane scenario (3.65 lbs/A twice a year by aircraft). Asulam has a consistently low toxicity profile especially when drift is managed. It has low acute toxicity to many taxa and the chronic exposure endpoints of concern should be mitigated by the current label.

The only uncertainty in this use surrounds tolerance violations because of the potential presence of asulam in blueberries at harvest.



September 30, 2024

Brogan Tooley, Agroecologist 244 Main Street Ellsworth, ME, 04605

Maine Board of Pesticide Control 28 State House Station Augusta, ME 04333

Dear Members of the Maine Board of Pesticide Control,

I am writing to express my strong support for the approval of a 24(c) label for the special use of Asulox (ai: asulam) in managing bracken fern (*Pteridium aquilinum*) in wild blueberry production in Maine. As a significant stakeholder in the wild blueberry industry, managing the impact of bracken fern is critical to maintaining the health and productivity of our crops.

Bracken fern poses a serious challenge, particularly in fields transitioning into production. This perennial weed grows aggressively, developing a dense canopy that can shade out blueberry plants, leading to decreased yields and diminished harvester efficiency. While spot treatments have proven effective in managing bracken fern, our herbicide options remain limited, making it essential to have additional products available for long-term control.

As a large stakeholder managing thousands of acres of wild blueberries each year, we heavily rely on diverse herbicide options. The ability to rotate among different herbicide groups is essential for implementing Integrated Pest and Pollinator Management (IPPM) practices and mitigating the risk of herbicide resistance. We have seen positive results from using glyphosate (Group 9) through targeted



Jasper Wyman & Son P.O. Box 100, Milbridge, ME 04658 | Finance: 207.546.3800 | Sales & Traffic: 207.546.2311 www.wymans.com



weed wiping; however, it is crucial to have alternative herbicides available. Asulox (Group 18) has demonstrated proven efficacy against bracken fern and has the potential to play a key role in our weed management strategy going forward.

Additionally, the growing concerns around organophosphates—both in terms of market acceptance and worker protection—underscore the need for effective alternatives. Maintaining Asulox as an option will enhance our ability to manage bracken fern effectively and ensure the sustainability of wild blueberry production in Maine.

I urge the Board to consider the importance of Asulox in managing bracken fern and to approve the 24(c) label for its use. Access to this herbicide will significantly support our efforts to produce highquality wild blueberries while adhering to responsible agricultural practices.

Thank you for considering this request, I appreciate your attention to this important matter.

Sincerely,

Brogan Tooley (she/her) Agroecologist, Research Manager, Wyman's 244 Main Street, Ellsworth, ME, 04605 btooley@wymans.com (207) 390-1754



Jasper Wyman & Son P.O. Box 100, Milbridge, ME 04658 | Finance: 207.546.3800 | Sales & Traffic: 207.546.2311 www.wymans.com



Maine Board of Pesticide Control 28 State House Station Augusta, ME 04333

February 24, 2025

To whom it may concern:

On behalf of Cherryfield Foods Inc., I am writing to express our full support for the renewal of the FIFRA 24(c) Special Local Need Label for Asulox<sup>®</sup> to control bracken fern in lowbush blueberries.

As a Wild blueberry grower and collaborator with numerous other growers, our farm management decisions rely heavily on a strong IPM program and we believe it necessary to have as many viable options in our toolbox to manage pest pressures when deemed necessary. Having options for specific weeds, like spot-spraying Asulox<sup>®</sup> for bracken fern, provides a pest-specific tool to limit the use of broad spectrum herbicides and reduce potential negative impacts in an efficient and cost effective approach. Bracken fern is a persistent problem for Wild blueberry growers with limited resources for adequate control, thus encouraging our support for renewing the 24 (c) Special Local Need Label for Asulox<sup>®</sup>.

Sincerely,

Spencer Fiser

Farm Operations Manager Cherryfield Foods Inc. 320 Ridge Rd. Cherryfield, ME 04622



FIFRA Sec. 24(c) Special Local Need Label

### FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF MAINE

### ASULOX<sup>®</sup> HERBICIDE

EPA Reg. No. 70506-139

EPA SLN No. ME-100003

This label is valid until December 31, 2030 or until otherwise amended, withdrawn, canceled, or suspended.

### ASULOX FOR CONTROL OF BRACKEN FERN IN LOWBUSH BLUEBERRIES Non-bearing fields only

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This label and the federal label for this product must be in the possession of the user at the time of pesticide application.

Weed Species	Rate	Special Instructions	
Bracken Fern	1 gal/acre	Bracken should be in full frond prior to	
(Pteridium aquilinum)		application.	
		Use Asulox only as a spot treatment.	
		The use of a non ionic surfactant at 0.25% v/v	
		may improve uptake of the Asulox.	
		Treatment is limited to non bearing fields. Do	
		not apply more than once <u>every other</u> year.	
		Control will be observed the year following	
		application of the Asulox. No visible control	
		symptoms will be observed the year of	
		application.	

Rev. 3/6/2025 Expires Dec. 31, 2020

### GROUP 18 HERBICIDE

# **ASULOX** HERBICIDE

### FOR AGRICULTURAL OR COMMERCIAL USE ONLY NOT FOR USE BY HOMEOWNERS

For Postemergent Weed Control in Sugarcane, Turf, Ornamentals, Christmas Tree Plantings and Non-Cropland

### ACTIVE INGREDIENT:

Sodium salt of asulam (methyl sulfanilylcarbamate)*	36.2%
OTHER INGREDIENTS:	63.8%
TOTAL:	100.0%
*Equivalent to 33.1% asulam or not less than 3.34 lbs. per gallon.	

EPA Reg. No. 70506-139

### EPA Est. No. 041876-IND-002

## KEEP OUT OF REACH OF CHILDREN CAUTION

<b>FIRST AID</b>		
IF ON SKIN OR CLOTHING:	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15 - 20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>	
IF IN EYES:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>	
Have the produce also contact Ro	ct container or label with you when calling a poison control center or doctor or going for treatment. You may cky Mountain Poison and Drug Safety at 1-866-673-6671 for emergency medical treatment information.	

See inside for additional Precautionary Statements and complete Directions For Use. FOR CHEMICAL EMERGENCY: Spill, leak, fire, exposure, or accident, call CHEMTREC 1-800-424-9300.

### Net Contents: 2.5 Gallons

HERBICIDE

**UPL NA Inc.** • 630 Freedom Business Center, Suite 402 King of Prussia, PA 19406 U.S.A. • 1-800-438-6071



### PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear long-sleeved shirt and long pants, chemicalresistant gloves (such as Nitrile, Butyl, Neoprene, and/or Barrier Laminate), and shoes plus socks. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

### ENGINEERING CONTROL STATEMENTS

When handlers use closed systems, enclosed cabs or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

#### **User Safety Recommendations**

Users should leave the treated area, remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

### **ENVIRONMENTAL HAZARDS**

This chemical is known to leach through soil into ground water under certain conditions as a result of agricultural use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in ground water contamination. Surface water contamination may occur in areas with poorly draining soils and little or no buffers or in areas where drainage systems flow directly to surface water.

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not clean equipment or dispose of equipment washwater in a manner that will contaminate resources. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Read entire label before using this product.

#### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated such as plants, soil or water is coveralls, chemical-resistant gloves, and shoes plus socks.

### GENERAL INSTRUCTIONS AND INFORMATION

### APPLICATION INSTRUCTIONS

Do not apply ASULOX® Herbicide through any type of irrigation systems.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulations.

### SPRAY DRIFT

SENSITIVE AREAS: This herbicide should only be applied when the potential for drift to adjacent sensitive areas (e.g., residential areas, bodies of water, known habitats for threatened or endangered species, non-target crops) is minimal (e.g., when wind is blowing away from the sensitive areas).

AVOIDING SPRAY DRIFT AT THE APPLICATION SITE IS THE RESPONSIBILITY OF THE APPLICATOR. The interaction of many equipment and weather-related factors determine the potential for spray drift. The applicator is responsible for considering all these factors when making decisions. The following drift management requirements must be followed to avoid off-target movement from aerial applications to agricultural field crops. These requirements do not apply to forestry applications, public health uses or to applications using dry formulation.

- 1. The distance of the outer most nozzles on the boom must not exceed 3/4 the length of the wingspan or rotor.
- Nozzles must always point backward parallel with the air stream and never be pointed downwards more than 45 degrees.

Where states have more stringent regulations, they should be observed. The applicator should be familiar with and take into account the information covered in the <u>Aerial Drift</u> <u>Reduction Advisory Information</u>.

INFORMATION ON DROPLET SIZE: (This section is advisory in nature and does not supersede the mandatory label requirements)

The most effective way to reduce drift potential is to apply large droplets. The best drift management strategy is to apply the largest droplets that provide sufficient coverage and control. Applying larger droplets reduces drift potential, but will not prevent drift if applications are made improperly, or under unfavorable environmental conditions (see WIND, TEMPERATURE AND HUMIDITY, and TEMPERATURE INVERSIONS below).

CONTROLLING DROPLET SIZE: (This section is advisory in nature and does not supersede the mandatory label requirements)

- Volume Use high flow rate nozzles to apply the highest practical spray volume. Nozzles with higher rated flows produce larger droplets.
- Pressure Do not exceed the nozzle manufacturer's recommended pressures. For many nozzle types lower pressure produces larger droplets. When higher flow rates are needed, use higher flow rate nozzles instead of increasing pressure.
- Number of Nozzles Use the minimum number of nozzles that provide uniform coverage.
- Nozzle Orientation Orienting nozzles so that the spray is released parallel to the airstream produces larger droplets than other orientations and is the recommended practice. Significant deflection from horizontal will reduce droplet size and increase drift potential.
- Nozzle Type Use a nozzle type that is designed for the intended application. With
  most nozzle types, narrower spray angles produce larger droplets. Consider using
  low-drift nozzles. Solid stream nozzles oriented straight back produce the largest
  droplets and the lowest drift.

BOOM LENGTH: (This section is advisory in nature and does not supersede the mandatory label requirements)

For some use patterns, reducing the effective boom length to less than 3/4 of the wingspan or rotor length may further reduce drift without reducing swath width.

APPLICATION HEIGHT: (This section is advisory in nature and does not supersede the mandatory label requirements)

Applications should not be made at a height greater than 10 feet above the top of the target plants unless a greater height is required for aircraft safety. Making applications at the lowest height that is safe reduces exposure of droplets to evaporation and wind. SWATH ADJUSTMENT: (This section is advisory in nature and does not supersede the mandatory label requirements)

When applications are made with a crosswind, the swath will be displaced downwind. Therefore, on the up and downwind edges of the field, the applicator should compensate for this displacement by adjusting the path of the aircraft upwind. Swath adjustment distance should increase, with increasing drift potential (higher wind, smaller drops, etc.).

WIND: (This section is advisory in nature and does not supersede the mandatory label requirements)

Drift potential is lowest between wind speeds of 2 to 10 mph. However, many factors, including droplet size and equipment type determine drift potential at any given speed. Application should be avoided below 2 mph due to variable wind direction and high inversion potential. **NOTE:** Local terrain can influence wind patterns. Every applicator should be familiar with local wind patterns and how they affect spray drift.

TEMPERATURE AND HUMIDITY: (This section is advisory in nature and does not supersede the mandatory label requirements)

When making applications in low relative humidity, set up equipment to produce larger droplets to compensate for evaporation. Droplet evaporation is most severe when conditions are both hot and dry.

TEMPERATURE INVERSIONS: (This section is advisory in nature and does not supersede the mandatory label requirements)

Applications should not occur during a temperature inversion because drift potential is high. Temperature inversions restrict vertical air mixing, which causes small suspended droplets to remain in a concentrated cloud. This cloud can move in unpredictable directions due to the light variable winds common during inversions. Temperature inversions are characterized by increasing temperatures with altitude and are common on nights with limited cloud cover and light to no wind. They begin to form as the sun sets and often continue into the morning. Their presence can be indicated by ground fog; however, if fog is not present, inversions can also be identified by the movement of smoke from a ground source or an aircraft smoke generator. Smoke that layers and moves laterally in a concentrated cloud (under low wind conditions) indicates an inversion, while smoke that moves upward and rapidly dissipates indicates good vertical air mixing.

#### SUGARCANE

ASULOX Herbicide can be applied to either plant cane or cane grown from stubble. Apply ASULOX Herbicide as a water mix spray for ground applications. Use 15 to 100 gallons of water per acre, depending on local practice. For aerial application, ASULOX Herbicide should be mixed in 3 to 5 gallons of water per acre, except in Hawaii, where 5 to 10 gallons of water per acre should be used.

Addition of an adjuvant cleared for use on growing crops to the ASULOX Herbicide water mix spray will improve weed control when environmental conditions are not optimal. Use either a non-ionic surfactant containing a minimum of 80% active ingredient at the rate of 1 to 2 quarts per 100 gallons (0.25 to 0.5% V/V) of water mix spray or a crop oil concentrate containing 80 to 85% parafilin based petroleum oil and 15 to 20% non-ionic surfactant at the rate of 4 quarts per 100 gallons (1% V/V) of water mix spray.

The rates of ASULOX Herbicide given below are for broadcast applications. For banded application, reduce the rate proportionally to the width of the band according to the following formula:

BAND WIDTH (inches)	v	Broadcast		Pond Poto/Aoro
ROW WIDTH (inches)	^	Rate	=	Dallu hale/Acie

For spot treatments, use a 5% v/v ASULOX Herbicide spray (1 gallon per 20 gallons of water). Do not exceed 8 pints of ASULOX Herbicide per acre per treatment.

### **Single Application Per Growing Season**

WEED SPECIES	SPECIAL INSTRUCTIONS	RATE
Itchgrass or Raoulgrass (Rottboellia exaltata)	Apply when the grass is 8 inches tall or less (addition of surfactant is necessary).	8 pints/acre
Johnsongrass (Sorghum halepense)	Apply when the grass is between 12 to 18 inches tall. Johnsongrass should be actively growing and the average air temperature should be at least $60^\circ$ F or higher.	
Paragrass or Californiagrass (Brachiaria mutica or Panicum purpurascens)	Apply when the grass is 6 to 8 inches tall or less.	
Crabgrass (Digitaria spp.)	If treatment is made before the grass reaches seed head formation then the lower rate should be used. If the grass is in early seed head formation then the higher rate should be used.	6 to 8 pints/acre
Alexandergrass (Brachiaria plantaginea) Foxtail (Setaria spp.) Goosegrass (Eleusine indica) Broadleaf Panicum (Panicum adspersum) Barnyardgrass	If treatment is made when the grass is 6 to 8 inches tall or less, then the lower rate should be used. If the grass is greater than 8 inches tall, then the higher rate should be used.	

### **Two Applications Per Growing Season**

This may be required when initial weed infestations are heavy and/or when rhizome Johnsongrass is present. Two applications may also be used when treating weed species which germinate at different times during one growing season.

WEED SPECIES	SPECIAL INSTRUCTIONS	1ST APPLICATION	2ND APPLICATION
Crabgrass	At each application the grass should be treated before seed head formation.	6 to 8	6 to 8
<i>(Digitaria</i> spp.)		pints/acre	pints/acre
Itchgrass or Raoulgrass	At each application the grass should be 8 inches tall or less (addition of surfactant is necessary).	8	8
(Rottboellia exaltata)		pints/acre	pints/acre
Johnsongrass	At each application the grass should be between 12 and 18 inches tall.	8	8
(Sorghum halepense)		pints/acre	pints/acre

### **RESTRICTIONS AND PRECAUTIONS: Sugarcane**

- ASULOX Herbicide should be used when the weeds are actively growing.
- · Cover crops may be planted if plowed under and not grazed.
- The following pre-harvest intervals for ASULOX Herbicide applications to sugarcane must be observed:
   1) Mainland U.S.A. (except Louisiana) 140 days; 2) Louisiana only 100 days; 3) Hawaii 400 days.
- Do not graze or feed sugarcane fodder and forage to livestock.
- Cultivation and/or fertilizer applications or any other cultural practice that disturbs the root system of targeted weed species may result in less than optimum control when applying ASULOX Herbicide. These practices are not recommended within 7 days prior to or within 7 days after applications of ASULOX Herbicide.
- Differences in crop tolerance to ASULOX Herbicide among Sugarcane varieties has been reported in Louisiana. Contact your local County Agent or University Extension Specialist for further information.

#### NON-CROPLAND

Railroad rights-of-way and yards

Utility rights-of-way and yards Warehouse lots

Storage areas and industrial plant sites

ASULOX Herbicide may be used as a postemergent treatment to control weeds on non-cropland areas such as:

Boundary fences

Fence rows

Highway and roadside rights-of-way

Lumberyards

Pipeline rights-of-way

A surfactant may be added to the spray solution at 0.25% by volume. (Use an approved non-ionic surfactant.)

Apply ASULOX Herbicide as a single water-mix spray for ground applications using 20 to 100 gallons of solution per acre, depending on local practice, to control the following weed species. Apply one application per season. Aerial application is prohibited.

WEED SPECIES	SPECIAL INSTRUCTIONS	RATE
Crabgrass (Digitaria spp.)	Apply before the grass reaches seed head formation.	1 gal/acre
Johnsongrass (Sorghum halepense)	Apply when the grass is 18 inches or taller. Use the higher rate in well established heavy infestations. For spot treatment in Hawaii, use the higher rate in 100 gallons of solution and apply an amount not to exceed 50 gallons of total solution per acre.	
Paragrass or Californiagrass (Brachiaria mutica or Panicum purpurascens)	Apply before the grass reaches seed head formation. For spot treatment in Hawaii, use the same rate in 100 gallons of solution and apply an amount not to exceed 50 gallons of total solution per acre.	
Western Bracken (Pteridium aquilinum var. pubescens)	Apply when the fern is in full frond.	7 to 8 pints/acre

### **CHRISTMAS TREE PLANTINGS**

ASULOX Herbicide may be used as a postemergent treatment in Christmas Tree Plantings where Douglas Fir, Grand Fir, Noble Fir or Scotch Pine are grown. Do not graze or feed foliage from treated areas to livestock.

ASULOX Herbicide should be applied as a water mix spray. For ground application, use a minimum of 20 gallons of solution per acre. Do not use a wetting agent with ASULOX Herbicide. Apply one application per season. Aerial application is prohibited.

WEED SPECIES	SPECIAL INSTRUCTIONS	RATE
Western Bracken (Pteridium aquilinum var. pubescens)	Apply after bud break and hardening or firming of new tree growth. Bracken should be in full frond prior to treatment.	1 gal/acre

#### TURF (Sod Farms Only)

ASULOX Herbicide can be applied on St. Augustinegrass and Tifway 419 Bermudagrass turf. Apply one application per season postemergence to the weeds listed below. Use 20 to 50 gallons of water per acre in the spray solution.

TURF SPECIES	WEED SPECIES	RATE
St. Augustinegrass	Bullgrass (Paspalum supinum)	5 pints/acre
	Crabgrass (Digitaria sp.) Goosegrass (Eleusine indica)	
Tifway 419 Bermudagrass	Sandbur (Cenchrus sp.)	

Do not use a surfactant. Do not apply to turf which is under stress or freshly mowed.

#### ORNAMENTALS

ASULOX Herbicide can be applied as a single, postemergent, broadcast application on the following ornamentals:

JUNIPERS		YEWS		
Juniperus andorra	Juniperus horizontalis	Taxus cuspidata	Podocarpus macrophyllus	
Juniperus chinensis	Juniperus litoralis	Taxus media		
Juniperus conferta	Juniperus sabina			

Treatment should be made with a minimum of 20 gallons of water per acre. Do not use a surfactant.

WEED SPECIES	SPECIAL INSTRUCTIONS	RATE
Barnyardgrass (Echinochloa crusgalli)	Apply when the weeds are between the stages of early seedling and early seed head formation.	1 gal/acre
Crabgrass (Digitaria sp.)		
Fall Panicum (Panicum dichotomiflorum)		
Foxtails <i>(Setaria</i> sp.)		
Goosegrass (Eleusine indica)		
Horseweed (marestail) (Conyza canadensis)		

Local conditions may affect the use of this chemical. Consult State Agricultural Extension or Experiment Station weed specialists for specific recommendations for local weed problems and for information on possible lower dosages.

### **STORAGE AND DISPOSAL**

PESTICIDE STORAGE: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Store at temperatures above 20° F.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

#### CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container.

[for containers less than 5 gallons] Triple rinse as follows: empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a rinse tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

[for containers greater than 5 gallons] Triple rinse or pressure rinse as follows:

Triple rinse: empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Turn the Repeat this procedure two more times. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Pressure rinse: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after flow begins to drip. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

CONTAINER DISPOSAL: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose.

Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

#### IMPORTANT INFORMATION READ BEFORE USING PRODUCT CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product reflect the opinion of experts based on field use and tests, and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of UPL NA Inc. or Seller. Handling, storage, and use of the product by Buyer or User are beyond the control of UPL NA Inc. and Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold UPL NA Inc. and Seller harmless for any claims relating to such factors.

To the extent consistent with applicable law, UPL NA Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions on treasonably foreseeable to or beyond the control of Seller or UPL NA Inc., and Buyer and User assume the risk of any such use. To the extent consistent with applicable law, UPL NA INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent consistent with applicable law, UPL NA Inc. or Seller shall not be liable for any incidental, consequential or special damages resulting from the use or handling of this product and THE EXCLUSIVE EABLITY OF UPL NA INC. AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF UPL NA INC. OR SELLER, THE REPLACEMENT OF THE PRODUCT.

UPL NA Inc. and Seller offer this product, and Buyer and User accept it, subject to the foregoing conditions of sale and limitations of warranty and of liability, which may not be modified except by written agreement signed by the duly authorized representative of UPL NA Inc.

UPL, the UPL logo and ASULOX are trademarks of a UPL Corporation Limited Group Company.

©2023 UPL Corporation Limited Group Company 148299-A (0423)

ESL100719-10800-040323

8

GROUP 18 HERBICIDE

## **ASULOX**<sup>®</sup> HERBICIDE

### FOR AGRICULTURAL OR COMMERCIAL USE ONLY NOT FOR USE BY HOMEOWNERS

For Postemergent Weed Control in Sugarcane, Turf, Ornamentals, Christmas Tree Plantings and Non-Cropland

#### ACTIVE INGREDIENT:

Sodium salt of asulam (methyl sulfanilylcarbamate)*	36.2%
OTHER INGREDIENTS:	63.8%
TOTAL:	100.0%
*Equivalent to 22.1% agulam or not leas than 2.24 lbs, nor callen	

\*Equivalent to 33.1% asulam or not less than 3.34 lbs. per gallon

EPA Reg. No. 70506-139

EPA Est. No. 041876-IND-002

## KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID			
IF ON SKIN OR Clothing:	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15 - 20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>		
IF IN EYES:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>		
Have the produced	ct container or label with you when calling a poison or doctor or going for treatment. You may also con-		

control center or doctor or going for treatment. You way also contact Rocky Mountain Poison and Drug Safety at 1-866-673-6671 for emergency medical treatment information.

See inside for additional Precautionary Statements and complete Directions For Use.

FOR CHEMICAL EMERGENCY: Spill, leak, fire, exposure, or accident, call CHEMTREC 1-800-424-9300.

### PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if absorbed through skin. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

### **ENVIRONMENTAL HAZARDS**

This chemical is known to leach through soil into ground water under certain conditions as a result of agricultural use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in ground water contamination. Surface water contamination may occur in areas with poorly draining soils and little or no buffers or in areas where drainage systems flow directly to surface water.

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not clean equipment or dispose of equipment washwater in a manner that will contaminate resources. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Read entire label before using this product.

### **STORAGE AND DISPOSAL**

PESTICIDE STORAGE: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Store at temperatures above 20° F. PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. [for containers less than 5 gallons] Triple rinse as follows: empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a rinse tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. CONTAINER DISPOSAL: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.



### with the pump for 2 min nent or rinsate collection e times.

### Net Contents: 2.5 Gallons

UPL NA Inc. • 630 Freedom Business Center, Suite 402, King of Prussia, PA 19406 U.S.A. • 1-800-438-6071

### Safety Data Sheet



Preparation Date 21-Apr-2015 Revision date 19-Jul-2022 **Revision Number:** 7 1. Identification of the Substance/Preparation and of the Company/Undertaking Identification of the product Product Description Asulox Herbicide Other means of identification Internal SDS code 12U-109 Registration number(s) 70506-139 Recommended use of the chemical and restrictions on use **Recommended use** Herbicide. Uses advised against Activities contrary to label recommendation Details of the Supplier of the Safety Data Sheet Supplier Address UPL NA Inc. 630 Freedom Business Center Suite 402 King of Prussia, PA 19406 Emergency telephone number 1-800-438-6071 **Company Phone Number** Chemtrec: (800) 424-9300 (24hrs) or (703) 527-3887 **Emergency telephone number** Medical: Rocky Mountain Poison and Drug Safety (866) 673-6671 (24hrs) 2. Hazards Identification Classification **OSHA Regulatory Status** This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin sensitization	Category 1A

Label elements

Ρ

	EMERGENCY OVERVIEW	
ARNING		
azard Statements		
ay cause an allergic skin reaction		
<b>^</b>		
$\mathbf{\nabla}$		
•		
nearance brown	Physical state Liquid	Odor odorles

Do not breathe dust/fume/gas/mist/vapors/spray In case of inadequate ventilation wear respiratory protection Do not get in eyes, on skin, or on clothing Wash face, hands and any exposed skin thoroughly after handling

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse Call a POISON CENTER or doctor if you feel unwell

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards Not Otherwise Classified (HNOC) OTHER INFORMATION

• MAY BE HARMFUL IF SWALLOWED

### 3. Composition/information on Ingredients

Chemical name	CAS No	Weight-%
Ammonium hydroxide	1336-21-6	2.1
Asulam sodium	2302-17-2	35-37
Ethoxylated tallowamine	61791-26-2	2.2
Citric acid	77-92-9	2.1

If CAS number is "proprietary", the specific chemical identity and percentage of composition has been withheld as a trade secret.

### 4. First aid measures FIRST AID MEASURES Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact Eye contact lenses, if present, after 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Skin contact Remove and wash contaminated clothing before re-use. Wash off immediately with plenty of water for at least 15 minutes. Call a poison control center or doctor for treatment advice. Inhalation Call a physician or poison control center immediately. Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Ingestion Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person. Do not induce vomiting without medical advice. Most Important Symptoms and Effects, Both Acute and Delayed Most Important Symptoms and no data available. Effects Indication of Any Immediate Medical Attention and Special Treatment Needed Notes to physician No information available. Treat symptomatically. 5. Fire-fighting measures

### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Carbon dioxide (CO2). Dry chemical. Foam. Aquatic.

Unsuitable extinguishing media no data available.

### Specific hazards arising from the chemical

No information available.

Hazardous combustion productsCarbon oxides. Oxides of nitrogen. Sulfur oxides.

### Explosion data

### Protective equipment and precautions for firefighters

Use personal protective equipment. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental release measures					
Personal precautions, protective equipment and emergency procedures					
Personal Precautions	Avoid contact with skin and eyes. Provide adequate ventilation. Use personal protective equipment.				
Environmental Precautions					
Environmental precautions	Consult a regulatory specialist to determine appropriate state or local reporting requirements, for assistance in waste characterization and/or hazardous waste disposal and other requirements listed in pertinent environmental permits. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.				
Methods and material for contain	Methods and material for containment and cleaning up				
Methods for Clean-Up         Sweep up and shovel into suitable containers for disposal.					
7. Handling and Storage					
Precautions for safe handling					
Handling	Keep out of reach of children. Wear personal protective equipment. Avoid breathing vapors or mists. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Remove and wash contaminated clothing before re-use.				
Conditions for safe storage, inclu	ding any incompatibilities				
Storage	Keep in a dry, cool and well-ventilated place. Do not transport or store below -6 C. Keep containers tightly closed in a cool, well-ventilated place.				
incompatible materials	Acids.				
	8. Exposure Controls/Personal Protection				
Exposure guidelines	This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.				
Engineering controls	Investigate engineering techniques to reduce exposures. Local mechanical exhaust ventilation is preferred. Consult ACGIH ventilation manual or NFPA Standard 91 for design of exhaust systems.				
Personal protective equipment Eye/Face Protection Skin protection Respiratory protection	Use eye protection to avoid eye contact. Where there is potential for eye contact have eye flushing equipment available. Safety glasses with side-shields. Neoprene gloves. Nitrile rubber. Impervious butyl rubber gloves. Chemical resistant protective clothing. Where airborne exposure is likely, use NIOSH approved respiratory protection equipment appropriate to the material and/or its components. Full facepiece equipment is recommended and, if used, replaces need for face shield and/or chemical goggles. If				

manufacturer to determine appropriate type equipment for given application. Observe respirator use limitations specified by NIOSH or the manufacturer. For emergency and other conditions where there may be a potential for significant exposure, use an approved full face positive-pressure, self-contained breathing apparatus. Respiratory protection programs must comply with 29 CFR 1910.134.

### General hygiene considerations

Do not eat, drink or smoke when using this product. Wash hands and face before breaks and immediately after handling the product. Remove and wash contaminated clothing before re-use. Wear suitable gloves and eye/face protection.

### 9. Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

Appearance Physical state Odor color	brown Liquid odorless No information available	
Property	VALUES	Remarks/ Method
pH	7.5	None known
Melting point/freezing point	8.5 °C	None known
Boiling Point/Range	104 °C	None known
Flash Point	No information available	None known
Evaporation Rate		None known
Flammability (solid, gas)		None known
Specific gravity	1.18 @ 20 C	None known
Bulk density	10 lb/gal	None known
Water solubility	0	None known
Solubility in Other Solvents	Soluble	None known
Partition coefficient: n-octanol/w	vater	None known
Autoignition temperature		None known
Decomposition temperature		None known
Viscosity		None known

### 9.2 OTHER INFORMATION

molecular weight

253.24 g/mol

### **10. Stability and Reactivity**

Reactivity no data available

Chemical stability

Stable under recommended storage conditions.

### Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

Freezing temperatures.

### incompatible materials Acids.

Hazardous decomposition products Carbon oxides. Nitrogen oxides (NOx). Oxides of sulfur.

**11. Toxicological Information** 

Product information	Asulox:Acute oral LD50: >5,000 mg/kg (rat) Acute dermal LD50: >2,000 mg/kg (rabbit) Acute inhalation LC50: >5 mg/L 4 hr (rat) (dust/mist) No deaths Skin irritation: Non-irritating (rabbit)Eye irritation: Slightly irritating (rabbit)				
Inhalation	May cause irritation of respiratory tract. May be harmful if inhaled.				
Eye contact	May cause slight irritation.				
Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.				
Ingestion	MAY BE HARMFUL IF SWALLOWED.				
Information on Toxicological Effects	<u>8</u>				
Symptoms	No information available.				
Delayed and immediate effects as w	ell as chronic effects from short and long-term exposure				
Sensitization Mutagenic effects Carcinogenicity	Repeated or prolonged contact may cause allergic reactions in very susceptible persons. no data available. Asulam:				
	The EPA has classified asulam as a Group C - possible human carcinogen - based on thyroid and adrenal tumors in rats. Carcinogenicity testing with Asulam sodium is not available. Hoever, the EPA considers Asulam sodium as a "Possible Human Carcinogen" based on structure activity relationship.				
	Asulam or Asulam sodium is not listed as a carcinogen by the NTP, IARC or OSHA.				
	Mutagenicity No mutagenic effects were observed in studies performed with asulam.				
Reproductive effects STOT - Single Exposure STOT - Repeated Exposure Aspiration hazard	Reproductive/Developmental Toxicity No reproductive or developmental effects (teratogenicity) were observed in studies performed with Asulam Not Available. no data available. no data available. No information available.				
Numerical Measures of Toxicity - P	roduct information				
LD50 Oral LD50 Dermal LC50 Inhalation	> 5000 mg/kg (rat) > 2000 mg/kg (rabbit) > 20 mg/l ( 1 hr) (rat)				

### Information on Likely Routes of Exposure

### 12. Ecological Information

### ecotoxicity

Do not apply directly to water to areas where surface water is present or to intertidal areas below the mean high water mark. Do not clean equipment or dispose of equipment washwater in a manner that will contaminate water resources or areable land. Do not apply when weather conditions favor drift from treated areas.

### Persistence/Degradability

no data available.

### **Bioaccumulation/ Accumulation**

Bioaccumulative potential.

Chemical name	Log Pow
Citric acid	-1.72
77-92-9	

### Other Adverse Effects

no data available

13. Disposal Considerations				
Waste Treatment Methods				
Waste Disposal MethodPesticide wastes can be hazardous. Improper disposal of excess pesticide or rinsate violation of Federal law. If the wastes cannot be disposed of by use or according to la instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Do discharge effluent containing this product into lakes, streams, ponds, estuaries, ocear other waters unless in accordance with the requirements of a National Pollutant Disch Elimination System (NPDES) permit. Do not discharge effluent containing this produc sewer systems without previously notifying the local sewage treatment plant authority not apply directly to wetlands or water.				
Contaminated packaging	Do not reuse empty containers. Refer to product label.			
Chemical name	Ammonium hydroxide			
	14. Transport Information			
DOT				
	NOT REGULATED			
<u>TDG</u>	NOT REGULATED			
ΙΑΤΑ	NOT REGULATED			
IMDG				

### **15. Regulatory Information**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

signal word	CAUTION
Ventilation Control	PESTICIDE APPLICATORS & WORKERS THESE WORKERS MUST REFER TO PRODUCT LABELING AND DIRECTIONS FOR USE IN ACCORDANCE WITH EPA WORKER PROTECTION STANDARD 40 CFR PART 170.

Keep out of Reach of Children. Harmful if absorbed through the skin. Prolonged or frequent repeated skin contact may cause allergic reaction in some individuals.

International Inventories	
USINV	Not present
DSL/NDSL	Not present
EINECS/	Not Present
ELINCS	
ENCS	Not Present
China	Not Present
KECL	Not Present
PICCS	Not Present
AICS	Not Present
TSCA	Not Present

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

0

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### Federal Regulations

### <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Ammonium hydroxide 1336-21-6	1000 lb			Х

### CERCLA

Not applicable

Chemical name	RQ		CERCLA EHS RQs	RQ
Ammonium hydroxide 1336-21-6	1000 lb			RQ 1000 lb final RQ RQ 454 kg final RQ
CERCLA				
Component		RQ		
Ammonium hydroxide		1000 lb		

### SARA Product RQ

### RCRA Pesticide Information

Component	FIFRA - Restricted Use	FIFRA - Pesticide Product Other Ingredients	FIFRA - Listing of Pesticide Chemicals	California Pesticides - Restricted Materials
Ammonium hydroxide			Х	
1336-21-6 ( 2.1 )				
Citric acid			X	
77-92-9 ( 2.1 )				

State Regulations

### State Right-to-Know

Chemical name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Ammonium hydroxide -	Х	Х	Х		
1336-21-6					

International regulations U.S. EPA Label information EPA Pesticide registration number 70506-139

16. Other Information				
<u>NFPA</u>	HEALTH 2	flammability 0	Instability 0	Physical hazard -
Preparation Date Revision date Revision Summary Update section 2 <u>Disclaimer</u> UPL NA Inc. believes the accurate as of the date MERCHANTABILITY, O INFORMATION PROVID may not be valid where conditions and method	21-Apr 19-Jul- nat the information a hereof. NO WARRA R ANY OTHER WAR DED HEREIN. The inf such product is us so of use are beyond	r-2015 -2022 And recommendations cor NTY OF FITNESS FOR AN RRANTY, EXPRESSED OR formation provided herein ed in combination with ot I the control of UPL NA Inc	ntained herein (includin IY PARTICULAR PURP IMPLIED, IS MADE CO In relates only to the spe her materials or in any c. and UPL NA Inc. exp	g data and statements) are OSE, WARRANTY OF NCERNING THE crific product designated and process. Further, since the pressly disclaims any and all binformation

End of SDS